

ARKANSAS AUDUBON SOCIETY

2000 Field List

The Arkansas Audubon Society was formed in May 1955 to promote the protection and wise use of our natural resources. Weekend meetings are held twice each year at locations throughout the state and are generally scheduled to coincide with the peaks of spring and fall migration. Guest speakers, workshops, and guided field trips are featured at all meetings. A quarterly newsletter is published to keep the membership informed regarding current conservation issues, noteworthy bird records, and news of members and upcoming events. Membership in the society is open to all interested parties. For further information, write Roberta Crabtree, 2036 Topf Road, North Little Rock, AR 72116.

This field list provides generalized information on 389 species of birds that have occurred in Arkansas. It is based primarily on the card file maintained by the Arkansas Audubon Society, and secondarily on other sources, including **Arkansas Birds-Their Distribution and Abundance** (James and Neal, UA Press, 1986), Breeding Bird Surveys, Christmas Bird Counts, and published literature on Arkansas birds. **Since the information that follows is generalized, it may not seem appropriate for a given species in some locales.** Taxonomy and nomenclature follow the **Checklist of North American Birds**, Seventh Edition, 1998, as amended through the Forty-second Supplement, July, 2000.

Reports of birds should be sent to Max Parker, Curator, A.A.S., 2426 South Main, Malvern, AR 72104. **WRITTEN AND/OR PHOTOGRAPHIC DOCUMENTATION IS REQUIRED WHEN REPORTING RARITIES OR SPECIES SEEN OUT OF SEASON.** Unusual records are reviewed by the Arkansas Audubon Society Bird Records Committee.

Approximate dates of arrival and departure are indicated by numbers 1-12 for months of the year and letters A, B, C, D, for weeks of the month. A plus (+) sign immediately following indicates that discontinuous records outside this period are on file. For species that have nested in Arkansas, one of two symbols follows the name: an asterisk (*) means that the species currently nests with regularity, either yearly or, at least, with some consistency; an open circle (O) means that the species does not nest regularly and that there are few or no such reports since 1950.

Beneath the dates of arrival and departure are statements on seasonal status, relative abundance, and in some cases, the sections of the state of primary occurrence.

The months of the year are grouped into the following seasons:

Sp-Spring, March-May S-Summer, June-July
F-Fall, August-November W-Winter, December-February

In combination with these designations, the following abbreviations are used to denote seasonal status:

P-Present, species seen in the state each month but not necessarily in all sections (Great Egret)
M-Migrant, species passes through the state in the spring and/or Fall (Golden-winged Warbler)
R-Resident, species remains for an extended period of time (Painted Bunting)
L-Local, species occurs in only a few places (Great-tailed Grackle)
V-Visitor, species usually not present for an extended time (Wood Stork)

The relative numbers of birds found by reasonably skilled observers searching suitable habitats in appropriate seasons are indicated as follows:

c-common, always or almost always found (Killdeer)
fc-fairly common, regularly seen but usually in small numbers (Red-shouldered Hawk)
u-uncommon, difficult to find and often overlooked (Ross's Goose)
r-rare, seen annually or nearly so but not in all locales (Golden Eagle)
vr-very rare, irregular in occurrence but generally recorded 5 or fewer times in a given 10 year period (Red Phalarope)
irr-irruptive, variable in occurrence, number, and distribution (Purple Finch)

The abbreviations in parentheses following the statements of relative abundance indicate the primary but not necessarily the exclusive section of the state where the species occurs:

(n) north (s) south (e) east (w) west (c) central (nc) north-central
(sc) south-central (ec) east-central (wc) west-central (ne) northeast (se) southeast
(nw) northwest (sw) southwest

Example

Tanager, Summer*	4C-10B+
	SRc WVvr (ce, s)

Summer Tanagers nest in Arkansas regularly (*) and are present in the state primarily between the third (C) week of April and the second (B) week of October with discontinuous records (+) outside this period also on file. They occur as common summer residents (SRc) statewide and very rare winter visitors (WVvr), principally in central and south Arkansas (ce, s).

Order Gaviiformes Loons		Vulture, Black*	P u (n) fc (ce, s)
Loon, Red-throated	10D-4A WVvr	Turkey*	P c
Common	10A-5D+ Mfc WRLfc (ce, s)	Order Anseriformes Swans, Geese, and Ducks	
Order Podicipediformes Grebes		Whistling-Duck, Black-bellied*	
Grebe, Pied-billed*	P WRc SRLu	Goose, Greater White-fronted	3A-11D SRLu (s) 10A-3C+ Mfc WRLfc
Horned	10A-3D+ WRfc	Snow	10C-4A+ Mc WRc (e, ce)
Eared	9A-5A+ WRu	Ross's	10D-4C Mu WRLu (s, ce)
Western	10B-3D+ WVr	Canada	9A-4D+ Mc WRc (e, ce)
Order Pelecaniformes Pelicans, Cormorants, and Darters		Swan, Tundra	11C-3D Mr WVr (e, ce)
Peican, American White	P Mfc SVu WVu	Duck, Wood*	P SRc WRLc
Cormorant, Neotropic*	3D-6C 8A-12C SpVr FVr	Gadwall	10B-4C+ WFc
Double-crested*	P Mc SRLu WRLc	Wigeon, American	9C-4C+ Mc WRc
Anhinga*	3C-12C SRLu (ce, s)	Duck, American Black	10A-3B+ WRLu (e)
Order Ciconiiformes Hérons, Egrets, Ibises, and Vultures		Mallard*	P WRc SRr
Bittern, American*	3A-5D 9B-12D+ Mu WVvr	Duck, Mottled	4B-8C SR (ce, sw, se)
Least*	4A-10A+ SRL	Teal, Blue-winged*	P Mc SRu WRr
Heron, Great Blue*	P c	Cinnamon	2C-5B 9C-11D Mvr (w)
Egret, Great*	P SRLc WRfc (ce, s)	Shoveler, Northern	9A-4C+ Mc WRc (e, sw)
Snowy*	3C-11C Mfc SRLfc	Pintail, Northern	10A-4B+ Mc WRc (e, sw)
Heron, Little Blue*	3C-10D+ Mc SRLc	Teal, Green-winged	10A-4C+ WFc
Tricolored*	4A-11A+ SRr (s) FVv (s)	Canvasback	10D-4D+ WRfc
Egret, Cattle*	3B-11B+ Mc SRLc WVvr (s)	Redhead	10D-4A+ WRu
Heron, Green*	3B-10D+ SRc	Duck, Ring-necked	10C-5B+ WFc
Night-Heron, Black-crowned*	3B-11A+ Mu SRLu	Scaup, Greater	10A-4B Mu WRu
Yellow-crowned*	4B-10C+ SRLu	Lesser	10D-4D+ Mc WRc
Ibis, White*	3D-11A+ SRLc (s, sw)	Scoter, Surf	10B-1D 4D-5B FMr SpMvr
Glossy*	4C-5D 8C-10D+ M	White-winged	10D-5D+ WVr
White-faced	4B-5D 8D-9D+ M	Black	10D-3C M
Spoonbill, Roseate	7B-10B FVr (s)	Duck, Long-tailed	11A-4A+ WVu
Stork, Wood	6B-11A FVu (s, e)	Bufflehead	11B-4C+ WRc

Goldeneye, Common	11B-4C WRLu		Sora	4A-5B 9A-12D+ Mu WRr (ec, s)	
Merganser, Hooded*	P SRLu WRfc		Gallinule, Purple*	4C-9C SRLr(ce, s)	
Common	10D-3C+ WFr		Moorhen, Common*	4C-12D SRLu (ce, s) WRLr (sw)	
Red-breasted	10D-5B+ WRU		Coot, American*	P WRc SRLu	
Duck, Ruddy*	10A-4C+ WRc SRr		Crane, Sandhill	9D-5C WVr	
Order Falconiformes Hawks and Falcons			Order Charadriiformes Plovers, Sandpipers, Gulls, and Terns		
Osprey*	4A-5D 8C-11D+ Mfc SRLvr WRr		Plover, Black-bellied	3C-5D 8D-12D+ SpMu FMu	
Kite, Mississippi*	4C-9C+ SRLfc		Golden-Plover, Am.	3A-5D 9C-12A+ SpMc FMu	
Eagle, Bald*	P WRfc SRLu		Plover, Semipalmated	4C-5C 7B-9D+ Mfc	
Harrier, Northern*	8C-4B+ WRfc (u nw)		Piping	4B-5A 7B-10B SpMr FMr	
Hawk, Sharp-shinned*	9C-5C+ Mfc WRu SRvr		Killdeer*	P c	
Cooper's*	P WRu SRr		Stilt, Black-necked*	4A-10D SRLu (ec, se)	
Red-shouldered*	P t		Avocet, American	4B-5C 7A-11C+ SpMr FMu	
Broad-winged*	3D-10A+ Mfc SRu		Yellowlegs, Greater	3B-5B 7A-12D+ Mfc	
Swainson's*	3D-5D 9C-11C+ Mu (w) SRr		Lesser	2B-5D 6D-12D+ Mc	
Red-tailed*	P c		Sandpiper, Solitary	3D-5B 6B-12D+ Mfc	
Rough-legged	10D-3C WVr (n)		Willet	3D-5D 6C-9D+ SpMu FMu	
Eagle, Golden	9B-3B+ WRLr		Sandpiper, Spotted*	3D-6B 7A-12D+ Mc WVr	
Kestrel, American*	P WRc SRr		Upland	3D-5C 6D-10D+ Mu	
Merlin	9B-4C+ Mu WVu		Whimbrel	5B-5D 9A-9B M	
Falcon, Peregrine*	9B-5B+ Mr WWr		Godwit, Hudsonian	4B-5D 8C-10B SpMu FMvr	
Prairie	11B-2B WVr		Marbled	4B-5D 8B-10B SpMvr FMr	
Order Galliformes Grouse, Turkey, and Quail			Turnstone, Ruddy	5B-6B 7D-10B M	
Grouse, Ruffed*	P Lu (reintroduced nc)		Knot, Red	8C-10A FMvr	
Turkey, Wild*	P t		Sanderling	4C-5D 7C-10D+ SpMr FMu	
Bobwhite, Northern*	P t		Sandpiper, Semipalm.	4A-6B 7B-11A+ Mc	
Order Gruiformes Rails, Gallinules, and Cranes			Western	4B-6A 7A-12D+ SpMu FMfc	
Rail, Yellow	9A-5B+ Mr WVvr		Least	7B-6B+ Mc WRU	
King*	P SRLr WRvr		White-rumped	4B-6C 8B-10D SpMLfc FMvr	
Virginia	4B-5D 8B-12D+ MLu WRLvr		Baird's	3B-6A 7D-11C SpMu FMu	

Sandpiper, Pectoral	3A-6B 6D-11D+ Mc		Order Cuculiformes Cuckoos, Roadrunners, and Anis	
Dunlin	4B-5D 10A-12D+ Mc		Cuckoo, Black-billed*	4D-5D 8A-10C+ Mu SRvr (n)
Sandpiper, Stilt	3D-6A 7A-11D+ SpMu FMfc		Yellow-billed*	4A-10C+ SRc
Buff-breasted	4A-5C 7D-10A+ SpMr FMfc		Roadrunner, Greater*	P Lu (w, ce)
Dowitcher, Short-billed	4D-6A 7D-10A SpMu FMu		Ani, Groove-billed	9C-11D+ SpVvr FVr
Long-billed	3D-5B 7A-12D+ SpMu FMfc		Order Strigiformes Owls	
Snipe, Common	9A-5B+ Mc WRc (s)		Owl, Barn*	P u
Woodcock, American*	P u		Screech-Owl, Eastern*	P c
Phalarope, Wilson's	3C-5D 7A-10D Mfc		Owl, Great Horned*	P u
Red-necked	5C-6A 7B-11B M		Burrowing	9D-3D WVlvr (e, ce)
Red	8D-11D+ FMvr		Barred*	P c
Gull, Laughing	8A-7B Vu		Long-eared	11A-5D+ WFr
Franklin's	3C-6A 9D-12C+ SpMr FMc		Short-eared	10D-4D WRLu
Little	11D-3C+ WVvr		Northern Saw-whet	11A-2D WVvr
Bonaparte's	9D-4D+ Mfc WRfc		Order Caprimulgiformes Goatsuckers	
Ring-billed	8C-5A+ WFr		Nighthawk, Common*	4B-11A+ SRc
Herring	8B-5C+ WRLu		Chuck-will's-widow*	3D-10B SRc
Sabine's	9C-10B+ FVLvr		Whip-poor-will*	3D-10B SRfc (n, ce, wc)
Tern, Caspian	4A-6C 7A-10C+ SpMu FMc		Order Apodiformes Swifts and Hummingbirds	
Common	4D-5D 7A-10D SpMr FMu		Swift, Chimney*	3B-11A SRc
Forster's	4B-2D+ Mfc WRr (s)		Hummingbird, Ruby-throated*	3B-11B+ SRc
Least*	5A-9D+ Mu SRLu		Rufous	8B-4A FMr WVr
Black	4B-6B 6D-10C+ Mc		Order Coraciiformes Kingfishers	
Order Columbiformes Pigeons and Doves			Kingfisher, Belted*	P SRu WRfc
Dove, Rock*	P c		Order Piciformes Woodpeckers	
Collared-Dove, Eurasian*	P Lu		Woodpecker, Red-headed*	P t
Dove, White-winged	11C-6D VLr		Red-bellied*	P c
Mourning*	P c		Sapsucker, Yellow-bellied	9A-5A+ WFr
Inca*	P RLu(sw)		Woodpecker, Downy*	P c
Ground-Dove, Common	8C-5A Vr		Hairy*	P t

Woodpecker, Red-cockaded* Lr (ec, sc, wc)	P c	Crow, Fish*	P SRfc WRLfc (ce, s)
Flicker, Northern*	P SRu WRc	Family Alaudidae Larks	
Woodpecker, Pileated*	P fc	Lark, Horned*	P WRc SRLc
Order Passeriformes Family Tyrannidae Flycatchers		Family Hirundinidae Swallows	
Flycatcher, Olive-sided	4D-6B 8A-10B Mfc	Martin, Purple*	2A-10B+ SRc
Wood-Pewee, Eastern*	4B-10C+ SRc	Swallow, Tree*	2C-11C+ Mc SRLu
Flycatcher, Yellow-bd.	4D-5D 8B-10C M	Northern Rough-winged*	3C-10B+ SRc
Acadian*	4B-9C SRc	Bank*	4A-5D 7A-9D+ Mfc SRvr
Alder	5A-6A 8A-9B Mu	Cliff*	3D-10C Mc SRc (n, ce)
Willow*	5A-9C SpMu SRLvr (nw)	Barn*	3A-11D SRc
Least	4D-5C 8D-9D+ SpMfc FMu	Family Paridae Chickadees and Titmice	
Phoebe, Eastern*	P SRc (n, wc) WRfc (s)	Chickadee, Carolina*	P c
Flycatcher, Vermilion	10A-4B+ WVvr (s)	Titmouse, Tufted *	P c
Great Crested*	4B-10A+ SRc	Family Sittidae Nuthatches	
Kingbird, Western*	3D-5D 8C-10C+ Mu SRvr	Nuthatch, Red-breasted	9B-5B+ WRirr
Eastern*	3D-10D SRc	White-breasted*	P c (n, wc)
Flycatcher, Scissor-tailed*	3D-10D+ SRc (w, ce) WVvr	Brown-headed*	P c (s, wc)
Family Laniidae Shrikes		Family Certhiidae Creepers	
Shrike, Loggerhead*	P WRc (e) u(w) SRfc (e) u(w)	Creeper, Brown	10A-4C+ WRfc
Family Vireonidae Vireos		Family Troglodytidae Wrens	
Vireo, White-eyed*	3C-10B+ SRc	Wren, Rock	10B-3C+ WVvr (w)
Bell's*	4C-9B+ Mu SRu	Carolina*	P c
Yellow-throated*	3D-10A+ SRfc	Bewick's*	P Mu WRu SRr
Blue-headed	9A-5D+ Mfc WRu (s)	House*	P Mfc WRu SRLfc (nw)
Warbling*	4C-9D+ SRLu	Winter	10A-4D+ WRfc
Philadelphia	4D-5D 9B-9D+ Mfc	Sedge*	P SRvr (e, nw) Mfc WRu (s)
Red-eyed*	4B-10B+ SRc	Marsh	9C-5C Mfc WRu
Family Corvidae Jays and Crows		Family Regulidae Kinglets	
Jay, Blue*	P c	Kinglet, Golden-crowned	9D-4D+ WRfc
Crow, American*	P c	Ruby-crowned	9D-5D WRc (s, ce)

Family Sylviidae Gnatcatchers		Warbler, Magnolia	4D-6A 9A-10B+ SpMfc FMu
Gnatcatcher, Blue-gray*	3C-9C+ SRc WVr	Cape May	4D-5D 8D-11D+ M
Family Turdidae Thrushes		Black-throated Blue	5C-5D 9C-10C Mr
Bluebird, Eastern*	P c	Yellow-rumped	10A-4D+ WFC
Veery	4C-5C+ Mu	Black-throated Green*	3D-5D 8D-10C+ SpMfc FMu SRLu
Thrush, Gray-cheeked	4B-5D+ Mfc	Blackburnian	4D-6A 9A-10B SpMu FMu
Swainson's	4A-5D 9B-10C+ SpMfc FMu	Yellow-throated*	3D-10C+ SRu
Hermit	10B-4C+ WRc (ce, s)	Pine*	P c (wc, s, nw)
Wood*	4B-9C+ SRc	Prairie*	4B-9C+ SRc
Robin, American*	P c	Palm	4C-5A 9C-11C+ SpMu FMu WVr
Family Mimidae Mockingbirds, Thrashers, and Allies		Bay-breasted	4B-6B 9D-10B+ Mu
Catbird, Gray*	4C-10C+ SRc WRr (s)	Blackpoll	4B-5D SpMfc
Mockingbird, Northern*	P c	Cerulean*	4C-8C+ SRu
Thrasher, Brown*	P c	Black-and-white*	3C-10A+ SRc
Family Sturnidae Starlings		Redstart, American*	4C-10C+ Mfc SRu
Starling, European*	P c	Warbler, Prothonotary*	4A-9C+ SRc
Family Motacillidae Pipits		Worm-eating*	4A-9D+ SRfc (sc, nw)
Pipit, American	9D-4B+ Mfc WRfc	Swainson's*	4A-9C+ SRLc
Sprague's	10A-4C WRvr	Ovenbird*	4C-10B+ SRfc (n, ce, wc)
Family Bombycillidae Waxwings		Waterthrush, Northern	4C-5C 7B-9D+ Mfc
Waxwing, Cedar*	P LSu (nw) WRc	Louisiana*	3C-10B SRfc (w)
Family Parulidae Wood Warblers		Warbler, Kentucky*	4B-9D+ SRfc
Warbler, Blue-winged*	4B-10B Mfc SRLu (n)	Mourning	5A-5D 9A-9D+ SpMu FMu
Golden-winged	4D-5B 9A-10B Mu	Yellowthroat, Common*	4B-10C+ SRc WRr
Tennessee	4C-5B 9B-10B+ Mfc	Warbler, Hooded*	4A-10A+ SRfc
Orange-crowned	9D-5C+ Mfc WRu (s)	Wilson's	4D-6A 8D-10A+ Mu
Nashville	4C-5B 9D-10D+ Mfc	Canada	4D-6A 8D-10A+ Mu
Parula, Northern*	3C-10C+ SRfc	Chat, Yellow-breasted*	4C-9D+ SRc
Warbler, Yellow*	4C-9B+ Mfc SRLu (n)	Family Thraupidae Tanagers	
Chestnut-sided*	4D-5D 8D-10B+ SpMfc FMu SRLr	Tanager, Summer*	4C-10B+ SRc WVvr (ce, s)

Tanager, Scarlet*	4C-10B+ Mfc SRfc (n, ce, wc)	Grosbeak, Black-headed	9D-5B+ WVvr (ce, sc)
FamilyEmberizidae New World Sparrows		Blue*	4B-10B SRc
Towhee, Spotted	10C-4A+ WVr	Bunting, Indigo*	4B-11A+ WVvr SRc
Eastern*	P SRc WRc	Painted*	4B-9D+ SRic
Sparrow, Bachman's*	4B-10D+ SRLu (sc, wc)	Dickcissel*	4D-9B+ SRc WVvr
Rufous-crowned*	P Lr	FamilyIcteridae Blackbirds and Allies	
American Tree	10B-4A Mr WRu (nw)	Bobolink	4A-5D 8B-10D SpMfc FMLu
Chipping*	P SRc (n, wc) WRfc (s)	Blackbird, Red-winged*	P c
Clay-colored	4D-5B 9A-10C+ SpMu (w) FMvr	Meadowlark, Eastern*	P c
Field*	P c	Western	10D-4D+ WRu
Vesper	10C-4D Mfc WRu (s)	Blackbird, Yellow-hd.	4A-5C 8D-10B+ SpMu FMr WVvr
Lark*	3D-9D+ SRfc WVvr (s)	Rusty	11A-4C+ WRfc
Savannah	10A-5C+ Wfc	Brewer's	11A-4B+ WRLfc (e, sw)
Grasshopper*	4B-11D+ SRLu	Grackle, Common*	P c
Henslow's	10B-3A+ WRLr (s) SRLr (wc)	Great-tailed*	P Lfc (w)
Le Conte's	10C-4D+ Mu WRLu	Cowbird, Brown-headed*	P c
Nelson's Sharp-tl.	5B-5C 9C-10D+ M	Oriole, Orchard*	4B-9C+ SRc
Fox	10B-4C+ WRfc	Baltimore*	4A-10A+ SRLc (e, s) WVvr (s)
Song	10B-4D+ Wfc	FamilyFringillidae Finches	
Lincoln's	10A-5C+ Mfc (w, ce) WRfc (s)	Finch, Purple*	10D-4B+ WRirr
Swamp	10A-4D+ Wfc	House*	P c
White-throated	10B-5B+ Wfc	Crossbill, Red	9A-7D Virr
Harris's	10C-5A WRu (w, ce)	Redpoll, Common	11A-3C WVvr (n)
White-crowned	10A-5D Wfc	Siskin, Pine	10B-5B+ Mfc WRirr
Junco, Dark-eyed	10B-4B+ Wfc	Goldfinch, American*	P WRc SRc (nw, ce)
Longspur, Lapland	11B-3A+ WRLfc	Grosbeak, Evening	11A-5A+ WRirr
Smith's	11A-3C+ WRLu (e)	FamilyPasseridae Old World Sparrows	
FamilyCardinalidae Cardinals, Grosbeaks, and Allies		Sparrow, House*	P c
Cardinal, Northern*	P c		
Grosbeak, Rose-br.	4D-5B 9D-10C+ SpMfc FMu		

SPECIES OF INFREQUENT OCCURRENCE

(The species listed in the following section have been documented conclusively within the state generally on 10 or fewer occasions. Because they are seen so infrequently, it may be misleading to specify a period of occurrence. Instead, the number of acceptable state records or a qualifying comment and year of most recent occurrence are provided.)

Pacific Loon (5, 1999), Yellow-billed Loon (1, 1991), Red-necked Grebe (3, 1970), Brown Pelican (7, 1997), Magnificent Frigatebird (6, 1990), Fulvous Whistling-Duck (11, 1999), Brant (1, 1990), Mute Swan (4, 1999), Trumpeter Swan (formerly regular, 1988), Garganey (1, 1984), Swallow-tailed Kite (formerly regular, 2000), White-tailed Kite (5, 1999), Northern Goshawk (6, 1983), Ferruginous Hawk (4, 1999), Black Rail (4, 1972), Snowy Plover (2, 1974), Wilson's Plover (5, 1998), Mountain Plover (1, 1951), Long-billed Curlew (6, 1987), Purple Sandpiper (1, 1976), Ruff (7, 1999), Pomarine Jaeger (1, 1983), Parasitic Jaeger (7, 1999), Long-tailed Jaeger (3, 1997), Black-headed Gull (3, 1999), Lesser Black-backed Gull (1, 1994), Glaucous Gull (5, 1995), Black-legged Kittiwake (7, 1999), Royal Tern (3, 1986), Bridled Tern (1, 1985), Sooty Tern (2, 1961), Black Skimmer (3, 1969), Long-billed Murrelet (1, 1980), Snowy Owl (4, 1955), White-throated Swift (3, 1999), Green Violet-ear (5, 2000), Buff-bellied Hummingbird (1, 1993), Magnificent Hummingbird (1, 1993), Black-chinned Hummingbird (4, 1994), Anna's Hummingbird (4, 1998), Calliope Hummingbird (1, 1999), Broad-tailed Hummingbird (2, 1998), Lewis's Woodpecker (1, 1967), Say's Phoebe (6, 1997), Couch's Kingbird (1, 1995), Cassin's Kingbird (2, 1967), Fork-tailed Flycatcher (1, 1995), Clark's Nutcracker (1, 1891), Northern Wheatear (1, 1990), Mountain Bluebird (1, 1985), Townsend's Solitaire (3, 1995), Sage Thrasher (1, 1979), Bohemian Waxwing (5, 1962), Connecticut Warbler (12, 1990), Western Tanager (8, 1997), Green-tailed Towhee (1, 1952), McCown's Longspur (2, 1996), Chestnut-collared Longspur (5, 1983), Snow Bunting (2, 1967), Lazuli Bunting (3, 1996), Bullock's Oriole (5, 1995), Pine Grosbeak (4, 1989), White-winged Crossbill (7, 1994), Lesser Goldfinch (1, 1987)

Extinct or Extirpated Species

(The species in the following section are extinct or have been extirpated from their historical range in Arkansas.) Greater Prairie-Chicken, Whooping Crane, Eskimo Curlew, Passenger Pigeon, Carolina Parakeet, Ivory-billed Woodpecker, Bachman's Warbler.

Price: 20 cents. 25 copies \$4.50 plus postage. 50 copies \$8.00 plus postage.

For a copy of this field list, send 20 cents plus a long, self-addressed envelope with postage for 1 ounce to Max Parker, 2426 South Main, Malvern AR 72104 or Roberta Crabtree, 2036 Topf Road, North Little Rock, AR 72116.
MC3181064EX7-82000

Additional Notes

Date _____ Total species observed _____

Location _____

Observers _____